

Google scholar

navigation select display view tree OR OR OR

Search

Advanced Scholar Search
Scholar Preferences

Scholar

Articles and patents ▾

- 2001

include citations ▾

Results 1 - 30 of abc

[PDF] A visualization concept for hierarchical object models

S Berner, S Joos, M Glinz, M Arnold, S ... - Proceedings 13th IEEE ..., 1998 - Citeseer
... For any object in the **view**, we can freely **select** the degree of detail to be visu- alized, independently of the ... For logical **navigation**, we use selective zooming ... Addition- ally, we provide conventional scaling and scrolling naviga- tion for views which are larger than the **display** screen ...
Cited by 13 - Related articles - View as HTML - All 13 versions

Dynamic navigation in multiple view software specifications and designs

E O'Hara-Schettino, H Gomaa - The Journal of Systems & Software, 1998 - Elsevier
... **Select** the building blocks. ... To illustrate **navigation** using the DNS, an example session through the multiple views of the Payroll System application shown in Fig ... User selections are indicated by an outlined number such as 1. A DNS **display** is indicated by an outlined number and ...
Cited by 2 - Related articles - All 4 versions

Performance evaluation of software architectures

LG Williams, CU Smith - ... of the 1st international workshop on ..., 1998 - portal.acm.org
... The use of SPE at the architectural design phase can help developers **select** a suitable architecture. ... The top-right **navigation** ... ie, no contention, 992.329 < 2.70 < 5 14 0.272 = 2 7 57 < 10.00 1 10.00 Resource Usage 0214 0 198 CPU 990.078 DEVs 2 052 **Display** 1.270 ...
Cited by 100 - Related articles - All 11 versions

[PDF] Task Filtered Display of Functional Diagrams for Flightline Maintenance

JL Wampler, HE Directorate, LR Branch - 1996 - dlrc.mil
... The schematic diagrams are at a relatively high level and **display** component to component ... Situation Indicator Ben Anionics Computer Side Stick Controller EDIU MUX Bus **Select** a component ... a content region, a message line and function keys used for **navigation** through the ...
Related articles - All 4 versions

Modular product architecture

JB Dahms, JP Gonzalez-Zugasti, KN Otto - Design Studies, 2001 - Elsevier
... Font Size: Decrease Font Size Increase Font Size. Article. Article - selected. Figures/Tables. Figures/Tables - selected. References. References - selected. **PDF** (861 K). ... **View** Within Article. ... That is, a design team must **select** specification values for each function in each product. ...
Cited by 156 - Related articles - BL Direct - All 8 versions

Disorientation in hypermedia environments: Mechanisms to support navigation

P Dias, MJ Gomes, AP Correia - Journal of Educational Computing ..., 1999 - Baywood
... not knowing where to go, not knowing where we are, and finding difficult to **select** the next ... this context, the fish-eye diagrams appear as an alternative to the conventional **navigation** maps. ... and the user's current focus of interest, and it should be possible to **display** the information ...
Cited by 53 - Related articles - BL Direct - All 4 versions

GRAFFIC: A computer package for the interactive graphical representation of fluid- ...

NC Markatos, CA Pericleous - Advances in Engineering Software (1978), 1983 - Elsevier
... Furthermore, all **display** media currently available are two-dimensional, and the many-to-one nature of the ... **Select** phase to be plotted (prompt 'SELECT PHASE') **Select** type of plot (prompt 'SELECT OPTION') The ... 2 Figure 11 presents, in perspective **view**, plots of stream- lines. ...

Cited by 3

Knowledge management through multi-perspective modelling: representing and ...

J Kingston, A Macintosh - Knowledge-Based Systems, 2000 - Elsevier

... Article. Article - selected. Figures/Tables. Figures/Tables - selected. References. References - selected. **PDF** (142 K). ... Full-size table (20K). **View** Within Article. ... from psychology and knowledge engineering which are designed for representing knowledge usually **display** a single ...

Cited by 57 - Related articles - All 13 versions

The ADORA Approach to Object-Oriented Modeling of Software

M Glinz, S Berner, S Joos, J Ryser, N Schett, ... - Lecture Notes in ... 2001 - Springer

... We achieve separation of concerns in two ways: (1) We decompose the model hierarchically, thus allowing the user to **select** the focus and the level of ... we allow the modelers to represent an A DORA model on any level of abstraction, from a very high-level **view** of the ... **display** ...

Cited by 26 - Related articles - BL Direct - All 19 versions

A matrix editor for a metaCASE environment

S Kelly - Information and Software Technology, 1994 - Elsevier

... In the second dialog, the user can **select** formatting for all the various elements of the axis ... Some operations in the body of the matrix, for instance Table 2. Element **display** options Symbol ... study' Data Base (Spring 1979) pp 1017 18 Vepsilinen, APJ 'A relational **view** of activities ...

Cited by 8

Drawing on the Back of an Envelope: a framework for interacting with application ...

MD Gross, EYL Do - Computers & Graphics, 2000 - Elsevier

... For example, if the designer draws a circle in a paint program, it may be difficult to **select** the circle and perform geometric ... The XLibris system [34] integrates pen-based input with a lightweight **display** for annotating text; it uses an ink-based recognition scheme ... **View** Within Article. ...

Cited by 59 - Related articles - BL Direct - All 9 versions

Representation construction, externalised cognition and individual differences

R Cox - Learning and Instruction, 1999 - Elsevier

... Article. Article - selected. Figures/Tables. Figures/Tables - selected. References. References - selected. **PDF** (901 K). ... **View** Within Article. ... A general rule seems to be **select** a representation with sufficient expressive power to capture the indeterminacy 3 in the problem, but not more ...

Cited by 139 - Related articles - All 3 versions

Advanced VRML based chemistry applications: A 3D molecular hyperglossary

O Casher, C Leach, CS Page, HS Rzepa - Journal of Molecular Structure: ... 1996 - Elsevier

... might predict that aromatic CH₀ interactions, as analyzed from the Cambridge Database, would also **display** a prefer ... region contains a hyperlink to a subset of data, which the user can **select** by clicking ... Full Text via CrossRef | **View** Record in Scopus | Cited By in Scopus (247). ...

Cited by 13 - Related articles - BL Direct - All 4 versions

Archaeological data models and web publication using XML

JD Schloen - Computers and the Humanities, 2001 - Springer

... by dumping idiosyncratically structured datasets without modification on the Internet, because **navigation** and querying of ... diagram to **select** automatically the items that are to be drawn together on a ... database may be filtered into named classes of items for **display** and analysis in ...

Cited by 21 - Related articles - BL Direct - All 3 versions

Developing formal object-oriented requirements specifications: a model, tool and ...

RB Jackson, DW Embrey, SN Woodfield - Information Systems, 1995 - Elsevier

... To do this, we could just successively **select** several of the object classes and relationship sets and use ... is a relationally complete, graphical query language, however, we can also use it to more

directly **display** the results of ... [6]. B. Czejdó and DW Embley, **View** specification and ...

Cited by 10 - Related articles - BL Direct - All 4 versions

Evolving the web-based distributed si/pdo architecture for high-performance ...

VP Holmes, JM Linesberger, DJ ... - ANNUAL ... 2001 - doi:10.1109/computer.society.org

... Interaction and **Navigation** ... This is necessary because the user must use the GUI to **select** a **file** on the server's **file** system. ... But the command processor can also open the Exodus **file**, read the meta-data, and send it to the GUI for **display**. ...

Cited by 7 - Related articles - BL Direct - All 12 versions

Application of younging tables to the construction of relative deformation histories ...

GJ Potts, SM Reddy - Journal of Structural Geology, 2000 - Elsevier

... Article - selected. Figures/Tables. Figures/Tables - selected. References. References - selected. PDF (3461 K) ... The extension fractures **display** three orientations labelled a-c and the shear fractures **display** two orientations labelled a and b. Fractures of a ... **View** Within Article ...

Cited by 4 - Related articles - BL Direct - All 5 versions

10 Analytica: A Software Tool for Uncertainty Analysis and Model Communication

N Kalatin - Uncertainty: A Guide to Dealing with Uncertainty in ... 1990 - books.google.com

... When you are composing the definition, you can **select** from the inputs list to enter the variable ...

1. **Navigation** of a Module Hierarchy Analytica provides a number of aids to help people navigate ...

A click on a little triangle next to a module name will **display** the module's contents as ...

Related articles - All 3 versions

Acquiring qualitative knowledge about complex agroecosystems. Part 1: ...

FL Sinclair, DH Walker - Agricultural systems, 1998 - Elsevier

... This shift from literal record to interpretation is consistent with a changing **view** of the knowledge ... previous definition I IF effect previous definition Redefine define ne Collate and **display** all set of ... 360 FL Sinclair, DH Walker and search strings of keywords that would **select** sets of ...

Cited by 37 - Related articles - BL Direct - All 5 versions

Statistical validation of simulation models

JPC Kleijnen - European Journal of Operational Research, 1995 - Elsevier

... area becomes 'lighted' or 'insonified', so objects within that area may become visible on a sonar **display**. ... Based on the regression model with (say) Q effects, **select** an experimental design, that is, a ... p and q for scenario S, for mine i. bers to sample **navigation** errors, spurious con ...

Cited by 49 - Related articles - All 8 versions

[PDF] Evaluation of workbenches which support the CommonKADS methodology

JKC Kingston, JG Doherty, IM Filby - Knowledge Engineering Review, 1995 - Citeseer

... obtain data from cookbook Ingredient: recipe **display** list of ingredients Ingredient: required ingredients ... In addition, it is recommended that an abstract **view** on the domain knowledge is created. Page 11. ... requires Kappa objects Kappa command **select**#3 requires implemented by ...

Cited by 9 - Related articles - View as HTML - BL Direct - All 4 versions

The ControlShell component-based real-time programming system, and its ...

S Schneider, V Chen, J Steele, G Pardo - ... - ACM Sigplan ... 1995 - portal.acm.org

... ControlShell makes no attempt to define **hierarchical** inter- faces, but rather strives to provide a sufficiently generic software platform to allow the exploration ... This is fairly large-grained **view** of the world. ... The next step is to implement the action routines, or **select** them from a library ...

Cited by 8 - Related articles - BL Direct - All 8 versions

[BOOK] Handling collaborative diagram databases on the WWW.

XM Shou - 2000 - Citeseer

... 169 7.1.2 Version Management and **Navigation** 171 ... 8 Page 17. To provide more direct and flexible

Result Page: 1 2 **Next**

navigation select display view tree C Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google